

PACH
BUILDING FUTURES



FOCUS! CORE! BUILDING FUTURES!

Apache is an Indian tribe in North American, according to legend, Apache was a warrior who was brave and invincible, and has been symbolized by Indians as an image of bravery and victory. This tribe has also been known for being intrepid and valiant in the Indian history. Therefore, posterity use his name for the Indian tribes named. Inheriting this tribe's spirit, APACH has been constantly devoted to developing and making top-end tools since its inception.

From 1994, APACH exquisitely designs each of pneumatic tools, and insists on strict durability testing of every piece of key components and parts, as well as rigid pre-delivery inspections of finished products. Just like Apache Indians who are physically strong and capable, APACH's products are durable and can endure under harsh working environments, and therefore are highly recognized and sought-after by professionals worldwide. Today, APACH is a globally known brand.

APACH offers two complete product's line to solve customers' problems, including coil nailers, framing nailers, finish nailers, staplers, carton closing tools and so forth, which are ideal for use in construction, pre-fabricated housing, pallets, furniture, upholstery, fencing and carton closing.

The other is pneumatic tools aeries, including air impact wrench, air screwdriver, air die grinder, air sander and air spray gun, which also are ideal for use in factory assembly line, vehicle repair, bodywork shop and agriculture machine. APACH's website : www.apach-tools.com also provides further product information.

Underpinned by strong commitment to Innovation and learning, as well as esprit de corps, APACH continues to launch new products to meet customers' special requirements, pays close attention to each customer's opinions, and provides speedy, timely services to clients. This globally prestigious brand is trustworthy.




INDEX PAGES



Coil Nailers

p06-13

CN-57.1	Industrial Coil Nailer	06
CN-57E	Industrial Coil Nailer	07
CN-70.1	Industrial Coil Nailer	07
CN-70E	Industrial Coil Nailer	08
CN-70E2	Industrial Coil Nailer	08
CN-83.1	Industrial Coil Nailer	09
CN-83E	Industrial Coil Nailer	09
CN-83F	Industrial Coil Nailer	10
CN-90.1L	Industrial Coil Nailer	10
CN-90LH	Industrial Coil Nailer	11
CN-100E	Industrial Coil Nailer	11
CN-100EPAL	Industrial Coil Nailer	12
CN-50P	Industrial Coil Nailer	12
CN-565A	Industrial Coil Nailer	13
RN-45E2	Roofing Coil Nailer	13



Framing Nailers


p15-18

AN9021-1	21 Degree Strip Framing Nailer	15
L3490	34 Degree Strip Framing Nailer	15
AN9034-1	34 Degree Strip Framing Nailer	16
AN-10021E	21 Degree Strip Framing Nailer	16
AN-10034E	34 Degree Strip Framing Nailer	17
AN-10034-1	34 Degree Strip Framing Nailer	17
AN-13021E	21 Degree Strip Framing Nailer	18
AN-16021E	21 Degree Strip Framing Nailer	18

Finish Nailers

p20-27

PT-630	23 GA Micro Pinner	20
PT-635	23 GA Micro Pinner	20
LMF-40LAC	21 GA Mini Brad Nailer	21
LNF-32AC	18 GA Brad Nailer	21
LNF-50AC	18 GA Brad Nailer	22
LNF-50AC-1	18 GA Brad Nailer	22
LU-50FAC	2-in-1 Combination Tool	23
LT-50LAC	15/16 GA Finish Nailer, Light Duty	23
LT-50LLAC	15/16 GA Finish Nailer & Concrete Nailer, Light Duty	24
LT-1650	15/16 GA Finish Nailer & Concrete Nailer, Heavy Duty	24
LT-1650AC	15/16 GA Finish Nailer	25
LT-1664EB	16 GA Finish Nailer	25
DA-64E-1	DA Series Angle Finish Nailer	26
LT-1464	14 GA Concrete Nailer	26
LHT-64	14 GA Concrete Nailer, Heavy Duty	27
ASD-3040	Concrete Nailer	27



Staplers

p29-55


LU-SJK16F	SJK Series Fine Wire Stapler	29	LU-9032AC	18 GA Narrow Crown Stapler	43
LU-7116F	71 Series Fine Wire Stapler	29	LU-9040LAC	18 GA Narrow Crown Stapler, Light Duty	43
LU-7116AC	71 Series Fine Wire Stapler	30	LU-9040LAD	18 GA Narrow Crown Stapler, Light Duty	44
LU-7116LAC	71 Series Fine Wire Stapler, Long Nose	30	LU-9040HAC	18 GA Narrow Crown Stapler, Heavy Duty	44
LU-7116.1AUTO	71 Series Auto-Fire Staplers	31	LU-9040KT	18 GA Narrow Crown Stapler, Heavy Duty	45
LU-7116.1AUTO/LM	71 Series Auto-Fire Staplers, Long Magazine	31	LU-9225SAC	18 GA Medium Crown Stapler	45
LU-1416AC	14 Series Fine Wire Stapler	32	LU-9240LAC	18 GA Medium Crown Stapler, Light Duty	46
LU-2316F	23 Series Fine Wire Stapler	32	LU-9240HAC	18 GA Medium Crown Stapler, Heavy Duty	46
LU-9716F	97 Series Fine Wire Stapler	33	LU-G25AC	18 GA Medium Crown Stapler	47
LU-9725AC	97 Series Fine Wire Stapler	33	LU-G32HAC	18 GA Medium Crown Stapler, Long Nose	47
LU-8416AC	98 Series Fine Wire Stapler	34	LU-G40LAC	18 GA Medium Crown Stapler	48
LU-8016F	98 Series Fine Wire Stapler	34	LU-50040LAC	18 GA Wide Crown Stapler	48
LU-8016AC.1	80 Series Fine Wire Stapler	35	LU-9438AC	18 GA Wide Crown Stapler	49
LU-8016.1AUTO	80 Series Auto-Fire Staplers	36	LU-851LC1	16 GA Medium Crown Stapler	49
LU-8016.1AUTO/LM	80 Series Auto-Fire Staplers, Long Magazine	36	LU-851F2	16 GA Medium Crown Stapler	50
LU-8025AC	80 Series Fine Wire Stapler	37	LU-864F	16 GA Medium Crown Stapler	50
LU-425JAC	4J Series Stapler	37	LU-851KGF2	16 GA Medium Crown Stapler	51
LU-1010FAC	10F Series Fine Wire stapler	38	LU-864KGF	16 GA Medium Crown Stapler	51
LU-1016F	10F Series Fine Wire stapler	38	LU-964F	16 GA Medium Crown Stapler	52
LU-1013JAC	10J Series Fine Wire Stapler	39	LU-1580F	15 GA Medium Crown Stapler	52
LU-1016J	10J Series Fine Wire stapler	39	LU-1438.1	14GA Wide Crown Stapler, Light Duty	53
LU-1016AUTO	MAX 10 Series Auto-Fire Staplers	40	LU-1438	14GA Wide Crown Stapler, Heavy Duty	53
LU-1025JAC	10J Series Stapler	40	LU-2538.1	16GA Wide Crown Stapler, Light Duty	54
LU-1116.1AUTO/LM	All Series Auto-Fire Staplers, Long Magazine	41	LU-2538	16GA Wide Crown Stapler, Heavy Duty	54
LU-5018AC	50 Series Fine Wire Stapler	41	LU-2638.1	16GA Wide Crown Stapler, Light Duty	55
LU-6432	19GA 64 Series Stapler	42	LU-2638	16GA Wide Crown Stapler, Heavy Duty	55
LU-9025AC	18 GA Narrow Crown Stapler	42			



Specialty Tools

p58-66

LPHC	Pneumatic Hog Ring Tools	58
LPHCN	Pneumatic Hog Ring Tools	59
MS-1619	Mattress Stapler	60
NP-50	Nail Puncher	61
NP-57E	Nail Puncher	61
NP-70E	Nail Puncher	62
LU-8016FP	2-in-1 Medium & Narrow Crown Stapler for Polymer	62
CF-15AA	Corrugated Fastener Tool	63
CF-15AP	Corrugated Fastener Tool	63
PTS-8400	Palm Nailer	64
AMC-38	Metal Connector Nailer	65
AFS-9040	18 GA Flooring Stapler	65
CN-70CL	Pneumatic Clinch Nailer	66
HWFS-50	Hardwood Flooring Stapler	66



Accessories

p74-77

Hose Reels		74
Marketing Materials	POS & Posters	76
Marketing Materials	Packaging, Apach Shirts	77
Marketing Materials	APACH Shirts	77




Carton Closing Tools

p68-73

Strip Series	Carton Closing Staplers	68
Strip Series	Carton Closing Staplers	69
Coil Series	Carton Closing Staplers	70
LPB & LPS	Pneumatic Foot Bottomers	71
CJ-38	Jumbo Carton Closing Staplers	72
SP-50	Specialty Tools - Pneumatic Stapling Pliers	73

Common Applications

 Roofing, Carpentry	 Cabinets, Furniture, Light wood assembly
 Framing, Joiner	 Packaging, Crating, Pallets
 Upholstery, Furniture, Bedding	 Siding, Sheathing, Paneling, Fencing
 Door, Window, Trimming, Picture Frames, Building Components	 Industrial, Pre-Fabricated Housing




Coil Nailers p06-13

Coil Nailers

Industrial Coil Nailer

CN-57.1



Features

- Ergonomic Design, Well Balanced
- Powerful, Rapid Nailing Performance
- Adjustable Safety Yoke Available
- Body Protectors Equipped

Fasteners

- 15° Flat Wire Collated Nails
- Length: 1 - 2 1/4" (25 - 57mm)
- Shank Diameter: .083 - .090" (2.1 - 2.3mm)
- Shank Type: Smooth, Ring & Screw

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.5 kgs	285 x 135 x 285 mm	5 - 7 kg/cm ²	300 - 400 nails
5.5 lbs	11 7/32 x 5 5/16 x 11 7/32"	70 - 100 psi	300 - 400 nails

Coil Nailers

Industrial Coil Nailer

CN-57E



Features

- Ergonomic Design, Well Balanced
- Powerful, Rapid Nailing Performance
- 360° Adjustable Exhaust Port
- Body Protectors Equipped
- Adjustable Safety Yoke Available

Fasteners

- 15° Flat Wire Collated Nails
- Length: 1 - 2 1/4" (25 - 57mm)
- Shank Diameter: .083 - .090" (2.1 - 2.3mm)
- Shank Type: Smooth, Ring & Screw

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.5 kgs	285 x 135 x 285 mm	5 - 7 kg/cm ²	300 - 400 nails
5.5 lbs	11 7/32 x 5 5/16 x 11 7/32"	70 - 100 psi	300 - 400 nails


Applications



Coil Nailers

Industrial Coil Nailer

CN-70.1



Features

- Ergonomic Design, Well Balanced
- Powerful, Rapid Nailing Performance
- Body Protectors Equipped
- Nail Punchers for Pallet Recycling Available
- Top Exhaust Cap Available

Fasteners

- 15° Flat Wire Collated Nails
- Length: 1 3/4" - 2 3/4" (45 - 70mm)
- Shank Diameter: .090 - .113" (2.3 - 2.9mm)
- Shank Type: Smooth, Ring & Screw

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.5 Kgs	320 x 125 x 318mm	5 - 7 kg/cm ²	225 - 300 nails
7.72 lbs	12 5/8 x 4 7/8 x 12 1/2"	70 - 100 psi	225 - 300 nails

Applications



Coil Nailers

Industrial Coil Nailer



CN-70E

Features

- Ergonomic Design, Well Balanced
- Powerful, Rapid Nailing Performance
- Body Protectors Equipped
- Nail Punchers for Pallet Recycling Available
- Top Exhaust Cap Available

Fasteners

- 15° Flat Wire Collated Nails
- Length: 1 3/4" - 2 3/4" (45 - 70mm)
- Shank Diameter: .090 - .113" (2.3 - 2.9mm)
- Shank Type: Smooth, Ring & Screw

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.62 Kgs	320 x 125 x 318mm	5 - 7 kg/cm ²	225 - 300 nails
7.96 lbs	12 5/8 x 4 7/8 x 12 1/2"	70 - 100 psi	225 - 300 nails

CN-70E



Coil Nailers

Industrial Coil Nailer



CN-83.1

Features

- Ergonomic Design, Well Balanced
- Powerful, Rapid Nailing Performance
- Body Protectors Equipped
- Adjustable Safety Yoke Available

Fasteners

- 15° Flat Wire Collated Nails
- Length: 2 - 3 1/4" (50 - 83mm)
- Shank Diameter: .099 - .131" (2.5 - 3.3mm)
- Shank Type: Smooth, Ring & Screw


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.8 kgs	313 x 129 x 349mm	5 - 7 kg/cm ²	225 - 300 nails
8.36 lbs	12 5/16 x 5 1/16 x 13 3/4"	70 - 100 psi	225 - 300 nails

CN-83.1



Coil Nailers

Industrial Coil Nailer



CN-70E2

Features

- With 2-pc Nose Joint Guide
- Ergonomic Design, Well Balanced
- Powerful, Rapid Nailing Performance
- Body Protectors Equipped
- Top Exhaust Cap Available

Fasteners

- 15° Flat Wire Collated Nails
- Length: 1 3/4" - 2 3/4" (45 - 70mm)
- Shank Diameter: .090 - .113" (2.3 - 2.9mm)
- Shank Type: Smooth, Ring & Screw

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.62 Kgs	320 x 125 x 318mm	5 - 7 kg/cm ²	225 - 300 nails
7.96 lbs	12 5/8 x 4 7/8 x 12 1/2"	70 - 100 psi	225 - 300 nails

CN-70E2



Coil Nailers

Industrial Coil Nailer



CN-83E

Features

- Ergonomic Design, Well Balanced
- Powerful, Rapid Nailing Performance
- 360° Adjustable Exhaust Port
- Body Protectors Equipped
- Adjustable Safety Yoke Available

Fasteners

- 15° Flat Wire Collated Nails
- Length: 2 - 3 1/4" (50 - 83mm)
- Shank Diameter: .099 - .131" (2.5 - 3.3mm)
- Shank Type: Smooth, Ring & Screw

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.7 kgs	313 x 129 x 349mm	5 - 7 kg/cm ²	225 - 300 nails
8.2 lbs	12 5/16 x 5 1/16 x 13 3/4"	70 - 100 psi	225 - 300 nails

CN-83E



Coil Nailers

Industrial Coil Nailer



CN-83F

Features

- Ergonomic Design, Well Balanced
- Powerful, Rapid Nailing Performance
- Front Exhaust Top Cap
- Body Protectors Equipped
- Adjustable Safety Yoke Available

Fasteners

- 15° Flat Wire Collated Nails
- Length: 2 - 3 1/4" (50 - 83mm)
- Shank Diameter: .099 - .131" (2.5 - 3.3mm)
- Shank Type: Smooth, Ring & Screw

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.7 kgs	313 x 129 x 349mm	5 - 7 kg/cm ²	225 - 300 nails
8.2 lbs	12 5/16 x 5 1/16 x 13 3/4"	70 - 100 psi	225 - 300 nails

CN-83F



Coil Nailers

Industrial Coil Nailer



CN-90LH

Features

- Ergonomic Design, Well Balanced
- Powerful, Rapid Nailing Performance

Fasteners

- 15° Flat Wire Collated Nails
- Length: 2 - 3 1/2" (50 - 90mm)
- Shank Diameter: .099 - .131" (2.5 - 3.3mm)
- Shank Type: Smooth, Ring & Screw

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
4.32 kgs	360 x 130 x 350mm	5 - 7 kg/cm ²	225 - 300 nails
9.51 lbs	14 3/16 x 5 1/16 x 13 3/4"	70 - 100 psi	225 - 300 nails

CN-90LH



Coil Nailers

Industrial Coil Nailer



CN-90.1L

Features

- Ergonomic Design, Well Balanced
- Powerful, Rapid Nailing Performance
- Anti-double fire mechanism available
- Sequential Trigger Available

Fasteners

- 15° Flat Wire Collated Nails
- Length: 2 - 3 1/2" (50 - 90mm)
- Shank Diameter: .099 - .131" (2.5 - 3.3mm)
- Shank Type: Smooth, Ring & Screw

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.74 kgs	347 x 142 x 365mm	5 - 7 kg/cm ²	225 - 300 nails
8.23 lbs	13.66 x 5.59 x 14.37"	70 - 100 psi	225 - 300 nails

CN-90.1L



Coil Nailers

Industrial Coil Nailer



CN-100E

Features

- Ergonomic Design, Well Balanced
- Powerful, Rapid Nailing Performance
- Removable Auxiliary Side Handle
- Body Protectors Equipped

Fasteners

- 15° Flat Wire Collated Nails
- Length: 2 1/2 - 4" (65 - 100mm)
- Shank Diameter: .099 - .131" (2.5 - 3.3mm)
- Shank Type: Smooth, Ring & Screw

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
5.36 kgs	355 x 141 x 412mm	5 - 7 kg/cm ²	200 - 300 nails
11.8 lbs	14 x 5 1/2 x 16 7/32"	70 - 100 psi	200 - 300 nails

CN-100E



Coil Nailers

Industrial Coil Nailer



CN-100EPAL

Features

- Ergonomic Design, Well Balanced
- Powerful, Rapid Nailing Performance
- Removable Auxiliary Side Handle
- Body Protectors Equipped

Fasteners

- 15° Flat Wire Collated Nails
- Length: 2 1/2 - 3 1/2" (65 - 90 mm)
- Head Diameter: .322" (8.2 mm)
- Shank Diameter: .134" (3.4 mm) Shank: Ring

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.6 kgs	251 x 117 x 282mm	5 - 7 kg/cm ²	wire 250 - 400
7.93 lbs	9.9 x 4.6 x 11.1"	70 - 100 psi	plastic sheet 200

CN-100EPAL



Coil Nailers

Industrial Coil Nailer



CN-50P

Features

- Accepts Both Wire & Plastic Sheet Collated Nails
- Powerful Motor with Minimum Recoil
- Tool-Free Depth Adjustment
- Light-Weight Only 1.6 kg (3.5 lbs)
- Clear Magazine Cover to See Nail Quantity
- Removable No-Mar Rubber Pad with Holder in Magazine
- Tool-Free Selectable Trigger - Change from Single Sequential to Bump Fire within A Second

Fasteners

- 15° Wire Or Plastic Sheet Collated Nails
- Length: Wire Collated: 1-1/8 - 2" (27 - 50mm)
Plastic Collated: 1 - 2" (25 - 50mm)
- Shank Diameter: Wire Collated: .072 - .083" (1.8-2.1mm)
Plastic Collated: .063 - .083" (1.6-2.1mm)
- Shank Type: Smooth, Screw & Ring


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.6 kgs	251 x 117 x 282mm	5 - 7 kg/cm ²	wire 250 - 400
3.5 lbs	9.9 x 4.6 x 11.1"	70 - 100 psi	plastic sheet 200

CN-50P



Coil Nailers

Industrial Coil Nailer



CN-565A

Features

- Accepts Both Wire & Plastic Sheet Collated Nails
- Powerful Motor Drives 250 to 400 Nails
- Continuously
- Tool Free Depth Adjustment
- Anti-Double Fire Trigger Institution

Fasteners

- 15° Wire & Plastic Sheet Collated Nails
- Length: Wire: 1 3/4 - 2 1/2" (45 - 65mm)
Plastic Sheet: 1 1/4 - 2 1/2" (32 - 65mm)
- Ø .090 - .099" (2.3 - 2.5mm)


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.68 kgs	280 x 130 x 320mm	5 - 7 kg/cm ²	wire 250 - 400
5.9 lbs	11 x 5 x 12.6"	70 - 100 psi	plastic sheet 200

CN-565A



Coil Nailers

Industrial Coil Nailer



RN-45E2

Features

- Ergonomic Design, Well Balanced
- Low Noise Low Vibration, Less Fatigue
- See-Thru Side Loading Magazine
- Sequential Trigger Available
- 360° Adjustable Exhaust Port
- Body Protectors Equipped
- Rapid Nailing Performance
- Carbide Insert in Safety Tip for Increased Wear
- Resistance Against Tar Paper
- Tool-Free Depth Adjustment
- Integrated Magnet in Nose to Hold The Last Nail
- Durable Metal Shingle Guide
- Nice Belt Hook

Fasteners

- Length: 7/8 - 1 3/4" (22 - 45mm)
- Shank Diameter: .120" (3.05mm)


Applications




Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.6 kgs	269 x 118 x 283mm	5 - 7 kg/cm ²	120 nails
5.7 lbs	10 5/8 x 4 5/8 x 11 1/8"	70 - 100 psi	120 nails

RN-45E2





Framing Nailers p15-18

Framing Nailers

21 Degree Strip Framing Nailer

AN9021-1



Features

- Aggressive Toe-Nailing Teeth for slip-free Grip when Fastening
- Depth-of-Drive Adjustment
- Special Design No-Mar Rubber Pad
- Dedicated Sequential or Bumper or Anti-Double Fire Trigger for Enhanced safety and Durability
- Optional Hanger

Fasteners

- 21° Full Head Plastic Collated Strip Nails
- Ø .113 - .161" / 2.87 - 3.3mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.7 kgs	442 x 124 x 331mm	5 - 7 kg/cm ²	60 nails
8 lbs	17.4 x 4.88 x 13.03"	70 - 100 psi	60 nails

AN9021-1



Framing Nailers

34 Degree Strip Framing Nailer

L3490



Features

- 360° Adjustable Air Deflector
- Depth-of-Drive Adjustment
- Toe-Nailing Teeth for Slip-Free Grip
- No-Mar Rubber Pad
- Sequential Fire Trigger Available (#30805301A)
- Dry-Fire Lock

Fasteners

- 34° D Head Paper Tape Collated Strip Nails
- Ø .113 - .161" / 2.87 - 4.1mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.65 kgs	465 x 115 x 370mm	5 - 7 kg/cm ²	75 - 90 nails
8 lbs	18.3 x 4.5 x 14.6"	70 - 100 psi	75 - 90 nails

L3490



Framing Nailers

34 Degree Strip Framing Nailer

AN9034-1



Features

- Aggressive Toe-Nailing Teeth for slip-free Grip when Fastening
- Depth-of-Drive Adjustment
- Special Design No-Mar Rubber Pad
- Dedicated Sequential trigger or Bumper trigger or Anti-Double fire trigger for Enhanced safety
- Optional Hanger

Fasteners

- 34° D Head Paper Tape Collated Strip Nails
- Ø .113 - .130" / 2.87 - 3.3mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.5 kgs	450 x 150 x 350mm	5 - 7 kg/cm ²	75 nails
7.72 lbs	17.72 x 5.9 x 13.78"	70 - 100 psi	75 nails

AN9034-1



Framing Nailers

34 Degree Strip Framing Nailer

AN-10034E



Features

- 360° Adjustable Exhaust Deflector
- Depth-of-Drive Adjustment
- Aggressive Toe-Nailing Teeth for Slip-Free Grip when Fastening
- Removable No-Mar Rubber Tip
- Dedicated Sequential or Bump Fire Trigger - for Enhanced Safety and Durability
- Top Load Magazine
- Dry-Fire Lock

Fasteners

- 34° Head Paper Tape Collated Strip Nails
- Ø .113 - .161" / 2.87 - 4.1mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.64 kgs	495 x 117 x 376mm	5 - 7 kg/cm ²	60 nails
8 lbs	19.5 x 4.6 x 14.8"	70 - 100 psi	60 nails

AN-10034E



Framing Nailers

21 Degree Strip Framing Nailer

AN-10021E



Features

- 360° Adjustable Exhaust Deflector
- Depth-of-Drive Adjustment
- Aggressive Toe-Nailing Teeth for Slip-Free Grip when Fastening
- Removable No-Mar Rubber Tip
- Dedicated Sequential or Bump Fire Trigger - for Enhanced Safety and Durability
- Top Load Magazine
- Dry-Fire Lock

Fasteners

- 21° Plastic Collated Round Head Nails
- Ø .113 - .161" / 2.87 - 4.1mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.64 kgs	495 x 117 x 376mm	5 - 7 kg/cm ²	60 nails
8 lbs	19.5 x 4.6 x 14.8"	70 - 100 psi	60 nails

AN-10021E



Framing Nailers

34 Degree Strip Framing Nailer

AN-10034-1



Features

- Depth-of-Drive Adjustment
- Aggressive Toe-Nailing Teeth for Slip-Free Grip when Fastening
- Special Design No-Mar Rubber Pad for better working performance
- Dedicated Sequential or Bump Fire Trigger - for Enhanced Safety and Durability
- Light Weight and Well Balance
- Optional Hanger

Fasteners

- 34° Round/D Head Paper Tape Collated Strip Nails
- Ø .113 - .130" / 2.87 - 3.3mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.43 kgs	354 x 153 x 443mm	5 - 7 kg/cm ²	75 nails
7.5 lbs	14.2" x 6.1" x 17.7"	70 - 100 psi	75 nails

AN-10034-1



Framing Nailers

21 Degree Strip Nailer

AN-13021E



Features

- 360° Adjustable Exhaust Deflector with Noise Reducer
- Depth-of-Drive Adjustable
- Aggressive Toe-Nailing Teeth for Slip-Free Grip when Fastening
- Soft Rubber Grip for Added Comfort and Less Fatigue
- Well Balanced
- Sequential Fire Trigger
- Dry-Fire Lock

Fasteners

- 21° Full Head Plastic Collated Strip Nails
- Ø .131 - .165" / 3.33 - 4.19mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
5.4 kgs	452 x 188 x 588mm	6 - 8 kg/cm ²	50 nails
11.88 lbs	17.8 x 7.4 x 23.1"	85 - 120 psi	50 nails

AN-13021E



Framing Nailers

21 Degree Strip Nailer

AN-16021E



Features

- Front Exhaust Top Cap
- Depth-of-Drive Adjustable
- Well Balanced
- Sequential Fire Trigger

Fasteners

- 21° Full Head Plastic Collated Strip Nails
- Ø .149 - .181" / 3.8 - 4.6mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
7.0 kgs	532 x 150 x 557mm	6 - 8 kg/cm ²	56 nails
15.4 lbs	20.9 x 5.9 x 21.9"	85 - 120 psi	56 nails

AN-16021E



Finish Nailers p 20-27

Micro Pinner

23 GA Micro Pinner



PT-630

Features

- Patented Adjustment-Free side loading magazine
- Double trigger
- Accepts both headless and mini head pins

Fasteners

- 23 GA Headless and Mini Head Pins
- Length: 12 - 30mm / 1/2 - 1 3/16"
- Shank Diameter: 0.64mm / .025"


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.2 kgs	196 x 42 x 182mm	5 - 7 kg/cm ²	100 nails
2.64 lbs	7.7" x 1.6" x 7.2"	70 - 100 psi	100 nails

PT-630



Brad Nailers

21 GA Mini Brad Nailer



LMF-40LAC

Features

- 360° Adjustable Air Deflector
- No-Mar Rubber Pad Available
- Long Slim Nose for Precision Trimming

Fasteners

- 21 Gauge Mini Brads
- Ø .033" / 0.84mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.30 kgs	231 x 58 x 218mm	5 - 7 kg/cm ²	100 nails
2.86 lbs	9.1 x 2.3 x 8.6"	70 - 100 psi	100 nails

LMF-40LAC



Micro Pinner

23 GA Micro Pinner



PT-635

Features

- Extended Trigger for Rapid Applications
- Trigger Lock for Increased Safety
- Patented Adjustment - Free Side Loading Magazine
- Accepts Both Headless and Mini Head Pins
- Removable No-Mar Rubber Pad
- Durable Aluminum Magazine
- Rear Exhaust to Avoid Stains on Work Piece
- Full Wrap-Around Rubber Grip for Maximum Comfort
- Slim Tapered Nose for Precise Nail Placement

Fasteners

- 23 GA Headless and Mini Head Pins
- Length: 12 - 35mm / 1/2 - 1 3/8"
- Shank Diameter: 0.64mm / .025"

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
0.96 kgs	205 x 43 x 174mm	5 - 7 kg/cm ²	120 pcs
2.1 lbs	8.07 x 1.69 x 6.85"	70 - 100 psi	120 pcs

PT-635



Brad Nailers

18 GA Brad Nailer



LNF-32AC

Features

- 360° Adjustable Air Deflector
- Quick Release Nose Cover
- Optional Single-Bump Fire Switch Available
- No-Mar Rubber Pad Available (#22903801)

Fasteners

- 18 Gauge Brads
- Ø .050 x .040" / 1.25 x 1.0mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.17 kgs	243 x 58 x 204mm	5 - 7 kg/cm ²	100 brads
2.57 lbs	9.6 x 2.3 x 8.0"	70 - 100 psi	100 brads

LNF-32AC



Brad Nailers

18 GA Brad Nailer



LNF-50AC

Features

- 360° Adjustable Air Deflector
- Quick Release Nose Cover
- Optional Single-Bump Fire Switch Available
- No-Mar Rubber Pad Available (#22903801)

Fasteners

- 18 Gauge Brads
- \varnothing .050 x .040" / 1.25 x 1.0mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.4 kgs	243 x 58 x 248mm	5 - 7 kg/cm ²	100 nails
3.08 lbs	9.6 x 2.3 x 9.8"	70 - 100 psi	100 nails

LNF-50AC



Brad Nailers

2-in-1 Combination Tool



LU-50FAC

Features

- 360° Adjustable Air Deflector
- Visual Reload Indicator
- Single-Bump Fire Switch
- Depth Adjustment
- No-Mar Tip
- Bottom Load

Fasteners

- 90 Series Staples & 18 Gauge Brads
- Staples Compatible with Atrio 90, BeA 90, Duo-Fast 1800, Hitachi 11100, Haubold 6000, ISM 90, JK 781 & Senco L Series
- \varnothing .050 x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.45 kgs	223 x 58 x 226mm	5 - 7 kg/cm ²	100 staples
3.19 lbs	8.8 x 2.3 x 10.3"	70 - 100 psi	100 staples

LU-50FAC



Brad Nailers

18 GA Angle Brad Nailer



LNF-50AC-1

Features

- 360° Adjustable Air Deflector
- Quick Release Nose Cover
- Optional Single-Bump Fire Switch Available No-Mar Rubber Pad Available (#22903801)
- One Hand Operation

Fasteners

- 18 Gauge 25° Angle Brads
- \varnothing .050 x .040" / 1.25 x 1.0mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.4 kgs	243 x 58 x 248mm	5 - 7 kg/cm ²	100 nails
3.08 lbs	9.6 x 2.3 x 9.8"	70 - 100 psi	100 nails

LNF-50AC-1



Brad Nailers

15 / 16 GA Finish Nailer, Light Duty



LT-50LAC

Features

- Accept Three Types of Fasteners without Any Adjustment
- 360° Rotatable Air Deflector
- Light and Compact, Ideal for Soft Wood Trimming and Fixation of Wood to Concrete
- Well Balanced with Comfortable Rubber Grip
- Removable No-Mar Rubber Pad (#22903801)
- Durable Aluminium Magazine
- LT-50LLAC with Long Magazine for 2 Strips of 16 GA Finish Brads Available

Fasteners

- 15 GA Finish Nails: \varnothing .069" / 1.75mm
- 16 GA Finish Nails: \varnothing .063 x .055" / 1.6 x 1.4mm
- 15 GA \varnothing 1.83 Concrete Nails: \varnothing .072" / 1.83mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.4 kgs	250 x 58 x 250mm	5 - 7 kg/cm ²	80 nails
3.08 lbs	9.8 x 2.3 x 9.8"	70 - 100 psi	80 nails

LT-50LAC



Finish Nailers

15 / 16 GA Finish Nailer & Concrete Nailer, Light Duty



LT-50LLAC

Features

- Accepts Both 16 GA Finish Nails & .072" (1.83 mm) Concrete Nails
- 360° Adjustable Air Deflector
- Light Weight
- Well Balanced
- No-Mar Rubber Pad Available (#22903801)
- Long Magazine
- Holds 2 Strips of 16 GA Finish Nails

Fasteners

- 15 GA Finish Nails: \varnothing .069" / 1.75mm
- 16 GA Finish Nails: \varnothing .063 x.055" / 1.6 x1.4mm
- 15 GA \varnothing 1.83 Concrete Nails: \varnothing .072" / 1.83mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.4 kgs	250 x 58 x 250mm	5 - 7 kg/cm ²	80 - 100 nails
3.08 lbs	9.8 x 2.3 x 9.8"	70 - 100 psi	80 - 100 nails

LT-50LLAC



Finish Nailers

15/16 GA Finish Nailer



LT-1650AC

Features

- Accept 15/16GA Finish Nails
- 360° Adjustable Air Deflector
- Quick Release Nose Cover
- Well Balanced
- No-Mar Rubber Pad Available (#21903602)

Fasteners

- 15 GA Finish Nails: \varnothing .069" / 1.75mm
- 16 GA Finish Nails: \varnothing .063 x.055" / 1.6 x1.4mm
- 15 GA \varnothing 1.83 Concrete Nails: \varnothing .072" / 1.83mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.8 kgs	272 x 72 x 281mm	5 - 7 kg/cm ²	100 nails
3.96 lbs	10.7 x 2.8 x 11.1"	70 - 100 psi	100 nails

LT-1650AC



Finish Nailers

15 / 16 GA Finish Nailer & Concrete Nailer, Heavy Duty



LT-1650

Features

- Accept 15,16 GA Finish Nails & 1.83mm Concrete Pins
- 360° Adjustable Air Deflector
- Bolted Release Nose Cover
- Well Balanced - Powerful Motor
- No Mar Rubber Pad

Fasteners

- 15 GA Finish Nails: \varnothing .069" / 1.75mm
- 16 GA Finish Nails: \varnothing .063 x.055" / 1.6 x1.4mm
- 15 GA \varnothing 1.83 Concrete Nails: \varnothing .072" / 1.83mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.15 kgs	281 x 72 x 272mm	5 - 7 kg/cm ²	100 nails
4.73 lbs	11.06 x 2.83 x 10.7"	70 - 100 psi	100 nails

LT-1650



Finish Nailers

16 GA Finish Nailer



LT-1664EB

Features

- 360° Rotatable Air Deflector
- Rear Load, Durable Aluminum Magazine
- Tool-Free Quick Release Nose Cover for Easy Jam Removal
- Tool-Free Depth-of-Drive Adjustment
- Removable No-Mar Rubber Pad
- Dry-Fire Lock

Fasteners

- 16 GA Finish Nails
- \varnothing .063 x .055" / 1.6x1.4mm
- Length: 1 - 2 1/2" / 25 - 64mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.14 kgs	360 x 85 x 310mm	5 - 7 kg/cm ²	100 nails
4.7 lbs	14.2 x 3.3 x 12.2"	70 - 100 psi	100 nails

LT-1664EB



Finish Nailers

DA Series Angle Finish Nailer



DA-64E-1

Features

- 360° Rotatable Air Deflector
- Rear Load, Durable Aluminum Magazine
- Tool-Free Quick Release Nose Cover for Easy Jam Removal
- Tool-Free Depth-of-Drive Adjustment
- Removable No-Mar Rubber Pad
- In-Line Magazine

Fasteners

- 15 Gauge Angle Finish Nails
- Compatible with Senco DA Series
- Ø .069" / 1.7mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.14 kgs	331 x 104 x 326mm	5 - 7 kg/cm ²	100 nails
4.7 lbs	13.03 x 4.09 x 12.83"	70 - 100 psi	100 nails

DA-64E-1



Concrete Nailer

14 GA Concrete Nailer, Heavy Duty



LHT-64

Features

- Accept Both .086 & .098" / 2.2 & 2.5mm Concrete Nails
- 360° Adjustable Air Deflector
- Powerful
- Well Balanced
- Quick Release Bolted Nose
- Sequential Trigger Mode, Can be Adjusted to Bump Fire Mode without Changing Parts.

Fasteners

- Concrete Nails
- Ø .086 & .098" / 2.2 & 2.5mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.7 kgs	282 x 94 x 306mm	5 - 7 kg/cm ²	80 nails
5.94 lbs	11.1 x 3.7 x 12.5"	70 - 100 psi	80 nails

LHT-64



Concrete Nailer

14 GA Concrete Nailer



LT-1464

Features

- Accept Both .086 & .098" / 2.2 & 2.5mm Concrete Nails
- 360° Adjustable Air Deflector
- Bolted Release Nose Cover
- Well Balanced - Powerful Motor
- No Mark Rubber Pad
- Straight Loop Safety Also Available

Fasteners

- Concrete Nails
- Ø .086 & .098" / 2.2 & 2.5mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.9 kgs	272 x 72 x 281mm	5 - 7 kg/cm ²	80 nails
4.19 lbs	10.7 x 2.83 x 10.7"	70 - 100 psi	80 nails

LT-1464



Concrete Nailer

Concrete Nailer



ASD-3040

Features

- Ergonomic Design, Well Balanced
- Powerful
- Quick Release Bolted Nose Air Deflector Sequential Trigger
- Depth-of-Drive Adjustable
- Quick Release wheel easy access for clearing Jams

Fasteners

- Concrete Nails
- Ø .104" ~ .118" / 2.6 ~ 3.0mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.6 kgs	345 x 121 x 347mm	6 - 8 kg/cm ²	30 nails
7.92 lbs	13.6 x 4.76 x 13.67"	70 - 110 psi	30 nails

ASD-3040





Staplers p.29-55

Staplers

SJK Series Fine Wire Stapler



LU-SJK16F

Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Extended Trigger for Rapid Stapling
- Double Trigger for Increased Safety
- Full Wrap-Around Rubber Grip

Fasteners

- SJK Series Staples
- Compatible with Omer SJK, Bostitch SJ3020, Senco TK Series
- 21.030 x .023" / 0.76 x 0.58mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
0.88 kgs	219 x 43 x 144mm	4 - 7 kg/cm ²	167 staples
1.95 lbs	8.6 x 1.7 x 5.7"	60 - 100 psi	167 staples

LU-SJK16F



Staplers

71 Series Fine Wire Stapler



LU-7116F

Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Extended Trigger for Rapid Stapling
- Double Trigger for Increased Safety
- Full Wrap-Around Rubber Grip

Fasteners

- 71 Series Staples
- Compatible with Complete 71, Atr 7, BeA 71, JK 670, Haubold 7100, Senco C Series
- 21.030 x .024" / 0.75 x 0.61mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
0.88 kgs	219 x 43 x 144mm	4 - 7 kg/cm ²	178 staples
1.95 lbs	8.6 x 1.7 x 5.7"	60 - 100 psi	178 staples

LU-7116F



Staplers

71 Series Fine Wire Stapler



LU-7116AC

Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Double Trigger for Increased Safety
- Comfortable Rubber Grip

Fasteners

- 71 Series Staples
- Compatible with Complete 71, Atrio 7, BeA 71, JK 670, Haubold 7100, Senco C Series
- \square .030 x .024" / 0.75 x 0.61mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.0 kgs	220 x 43 x 163mm	5 - 7 kg/cm ²	100 staples
2.2 lbs	8.7 x 1.7 x 6.4"	70 - 100 psi	100 staples

LU-7116AC



Staplers

71 Series Fine Wire Stapler, Long Nose



LU-7116LAC

Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust Cover
- Slim Long Nose for Easy Aiming

Fasteners

- 71 Series Staples
- Compatible With Complete 71, Atrio 7, BeA 71, Haubold 7100, JK 670, Senco C Series
- \square .030 x .024" / 0.75 x 0.61mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.1 kgs	220 x 43 x 215mm	5 - 7 kg/cm ²	100 staples
2.4 lbs	8.7 x 1.7 x 8.5"	70 - 100 psi	100 staples

LU-7116LAC



Staplers

71 Series Auto-Fire Staplers



LU-7116.1AUTO

Features

- New & Improved
- Speed Adjustable. Minimum 27 Staples/Sec when Adjusted to Highest Speed.
- Light Squeeze Trigger to Single Fire, Full Squeeze to Auto-Fire No Adjustment Needed
- Hammer Cap
- Rear Exhaust
- Bottom Load Long Magazine – Quick Load and Easy Jam Clearance
- Low Fastener Re-Load Indicator Window

Fasteners

- 71 Series
- Compatible With Complete 71, Atrio 7, BeA 71, Haubold 7100, JK 670, Senco C Series
- \square .030 x .024" / 0.75 x 0.61mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1 kgs	220 x 45 x 148mm	6 - 7.7 kg/cm ²	100 staples
2.2 lbs	8.7 x 1.8 x 5.8"	85 - 110 psi	100 staples

LU-7116.1AUTO



Staplers

71 Series Auto-Fire Staplers, Long Magazine



LU-7116.1AUTO/LM

Features

- New & Improved
- Speed Adjustable. Minimum 27 Staples/Sec when Adjusted to Highest Speed.
- Light Squeeze Trigger to Single Fire, Full Squeeze to Auto-Fire No Adjustment Needed
- Hammer Cap
- Rear Exhaust
- Bottom Load Long Magazine – Quick Load and Easy Jam Clearance
- Low Fastener Re-Load Indicator Window

Fasteners

- 71 Series Staples
- Compatible With Complete 71, Atrio 7, BeA 71, Haubold 7100, JK 670, Senco C Series
- \square .030 x .024" / 0.75 x 0.61mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.1 kgs	352 x 45 x 148mm	6 - 7.7 kg/cm ²	358 staples
2.4 lbs	13.8 x 1.8 x 5.8"	85 - 110 psi	358 staples

LU-7116.1AUTO/LM



Staplers

14 Series Fine Wire Stapler



LU-1416AC

Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust Cover

Fasteners

- 14 Series Compatible with Haubold 1400, JK KL1400, Fasco 14, Omer 68, Prebena VF, Spotnails 1400 Series
- \square .030 x .024" / 0.75 x 0.61mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.0 kgs	220 x 43 x 163mm	5 - 7 kg/cm ²	100 staples
2.2 lbs	8.7 x 1.7 x 6.4"	70 - 100 psi	100 staples

LU-1416AC



Staplers

97 Series Fine Wire Stapler



LU-9716F

Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Extended Trigger for Rapid Stapling
- Double Trigger for Increased Safety
- Full Wrap-Around Rubber Grip

Fasteners

- 97 Series Staplers
- Compatible with Omer 4097, Haubold 4000, BeA 97, Senco W Series
- \square .036 x .028" / 0.92 x 0.70mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
0.88 kgs	219 x 43 x 144mm	4 - 7 kg/cm ²	125 staples
1.95 lbs	8.6 x 1.7 x 5.7"	60 - 100 psi	125 staples

LU-9716F



Staplers

23 Series Fine Wire Stapler



LU-2316F

Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Extended Trigger for Rapid Stapling
- Double Trigger for Increased Safety
- Full Wrap-Around Rubber Grip

Fasteners

- 23 Series Staplers
- Compatible with Omer 62, Senco B, Bostitch SB3020, Prebena M, Fasco SR3 Series
- \square .030 x .020" / 0.75 x 0.50mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
0.88 kgs	219 x 43 x 144mm	4 - 7 kg/cm ²	167 staples
1.95 lbs	8.6 x 1.7 x 5.7"	60 - 100 psi	167 staples

LU-2316F



Staplers

97 Series Fire Wire Stapler



LU-9725AC

Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available

Fasteners

- 97 Series Staplers
- Compatible with Omer 4097, Haubold 4000, BeA 97, Senco W Series
- \square .036 x .028" / 0.92 x 0.70mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.2 kgs	223 x 58 x 199mm	5 - 7 kg/cm ²	100 staples
2.64 lbs	8.8 x 2.3 x 7.8"	70 - 100 psi	100 staples

LU-9725AC



Staplers

84 Series Fine Wire Stapler



LU-8416AC

Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Double Trigger for Increased Safety
- Comfortable Rubber Grip

Fasteners

- 84 Series Staples
- Compatible with Atro 84, Bostitch 84, BeA SBNK, Prebena AD
- \square .038 x .026" / 0.95 x 0.65mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.0 kgs	220 x 43 x 163mm	5 - 7 kg/cm ²	100 staples
2.2 lbs	8.7 x 1.7 x 6.4"	70 - 100 psi	100 staples

LU-8416AC



Staplers

80 Series Fine Wire Stapler



LU-8016F

Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Extended Trigger for Rapid Stapling
- Double Trigger for Increased Safety
- Full Wrap-Around Rubber Grip

Fasteners

- 80 Series Staples
- Compatible with Complete 80, Atro 8, BeA 80, JK 680, Haubold 800 Series
- \square .036 x .028" / 0.91 x 0.71mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
0.88 kgs	219 x 43 x 144mm	4 - 7 kg/cm ²	140 staples
1.95 lbs	8.6 x 1.7 x 5.7"	60 - 100 psi	140 staples

LU-8016F




Staplers

80 Series Fine Wire Stapler

LU-8016AC.1



LU-8016AC.1



Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Double Trigger for Increased Safety
- Comfortable Rubber Grip

Fasteners

- 80 Series Staples
- Compatible with Complete 80, Atro 8, BeA 80, JK 680, Haubold 800 Series
- \square .036 x .028" / 0.91 x 0.71mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.0 kgs	220 x 43 x 163mm	5 - 7 kg/cm ²	100 staples
2.2 lbs	8.7 x 1.7 x 6.4"	70 - 100 psi	100 staples

Staplers

80 Series Auto-Fire Staplers



LU-8016.1AUTO

Features

- New & Improved
- Speed Adjustable. Minimum 27 Staples / Sec when Adjusted to Highest Speed
- Light Squeeze Trigger to Single Fire, Full Squeeze to Auto-Fire No Adjustment Needed
- Hammer Cap
- Rear Exhaust
- Bottom Load Magazine – Quick Load & Easy Jam Clearance

Fasteners

- 80 Series Staples
- Compatible with Complete 80, Atrio 8, BeA 80, JK680, Haubold 800 Series
- \varnothing .036 x .028" / 0.91 x 0.71mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1 kgs	220 x 45 x 148mm	6 - 7.7 kg/cm ²	100 staples
2.2 lbs	8.7 x 1.8 x 5.8"	85 - 110 psi	100 staples

LU-8016.1AUTO



Staplers

80 Series Auto-Fire Staplers, Long Magazine



LU-8016.1AUTO/LM

Features

- New & Improved
- Speed Adjustable. Minimum 27 Staples / Sec when Adjusted to Highest Speed
- Light Squeeze Trigger to Single Fire, Full Squeeze to Auto-Fire No Adjustment Needed
- Hammer Cap
- Rear Exhaust
- Bottom Load Long Magazine – Quick Load and Easy Jam Clearance
- Low Fastener Re-Load Indicator Window

Fasteners

- 80 Series Staples
- Compatible with Complete 80, Atrio 8, BeA 80, JK 680, Haubold 800 Series
- \varnothing .036 x .028" / 0.91 x 0.71mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.1 kgs	352 x 45 x 148mm	6 - 7.7 kg/cm ²	290 staples
2.4 lbs	13.8 x 1.8 x 5.8"	85 - 110 psi	290 staples

LU-8016.1AUTO/LM



Staplers

80 Series Fine Wire Stapler



LU-8025AC

Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available

Fasteners

- 80 Series Staples
- Compatible with Complete 80, Atrio 8, BeA 80, JK 680, Haubold 800 Series
- \varnothing .036 x .028" / 0.91 x 0.71mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.2 kgs	223 x 58 x 199mm	5 - 7 kg/cm ²	100 staples
2.64 lbs	8.8 x 2.3 x 7.8"	70 - 100 psi	100 staples

LU-8025AC



Staplers

4J Series Stapler



LU-425JAC

Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available

Fasteners

- 20 Gauge Staples
- Compatible with Max 4J Series
- \varnothing .047 x .024" / 1.2 x 0.6mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.2 kgs	223 x 58 x 199mm	5 - 7 kg/cm ²	100 staples
2.64 lbs	8.8 x 2.3 x 7.8"	70 - 100 psi	100 staples

LU-425JAC



Staplers

10F Series Fine Wire stapler



LU-1010FAC

Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Comfortable Rubber Grip

Fasteners

- 22 Gauge Staples
- 10F Series Staples
- \square .029 x .020" / 0.75 x 0.52mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.0 kgs	220 x 43 x 163mm	5 - 7 kg/cm ²	100 staples
2.2 lbs	8.7 x 1.7 x 6.4"	70 - 100 psi	100 staples

LU-1010FAC



Staplers

10J Series Fine Wire Stapler



LU-1013JAC

Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Comfortable Rubber Grip

Fasteners

- 20 Gauge Staples
- Compatible with Max 10J
- \square .047 x .024" / 1.2 x 0.6mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.0 kgs	220 x 43 x 163mm	5 - 7 kg/cm ²	100 staples
2.2 lbs	8.7 x 1.7 x 6.4"	70 - 100 psi	100 staples

LU-1013JAC



Staplers

10F Series Fine Wire stapler



LU-1016F

Features

- Hammer
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Extended Trigger for Rapid Stapling
- Double Trigger for the Increased Safety
- Full Wrap-Around Rubber Grip

Fasteners

- 22 Gauge Staples
- 10F Series Staples
- \square .029 x .020" / 0.75 x 0.52mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.0 kgs	220 x 43 x 163mm	5 - 7 kg/cm ²	100 staples
2.2 lbs	8.7 x 1.7 x 6.4"	70 - 100 psi	100 staples

LU-1016F



Staplers

10J Series Fine Wire stapler



LU-1016J

Features

- Hammer
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Extended Trigger for Rapid Stapling
- Double Trigger for the Increased Safety
- Full Wrap-Around Rubber Grip

Fasteners

- 20 Gauge Staples
- Compatible with Max 10J
- \square .047 x .024" / 1.20 x 0.60mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.0 kgs	220 x 43 x 163mm	5 - 7 kg/cm ²	100 staples
2.2 lbs	8.7 x 1.7 x 6.4"	70 - 100 psi	100 staples

LU-1016J



Staplers

MAX 10 Series Auto-Fire Staplers

LU-1016AUTO



Features

- New & Improved
- Speed Adjustable Minimum 27 Staples/ Sec when Adjusted to Highest Speed.
- Light Squeeze Trigger to Single Fire, Full Squeeze to Auto-Fire No Adjustment Needed.
- Hammer Cap
- Rear Exhaust
- Bottom Load, Jam Free Magazine
- Comfortable Rubber Grip

Fasteners

- 20 Gauge Staples - Compatible with Max 10J
- 22 Gauge Staples - Compatible with Max 10F


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.0 kgs	220 x 43 x 163mm	5 - 7 kg/cm ²	100 staples
2.2 lbs	8.7 x 1.7 x 6.4"	70 - 100 psi	100 staples

LU-1016AUTO



20GA \square .047 x .024"
1.2 x 0.6mm

LU-1016AUTO J Series

22GA \square .029 x .020"
0.75 x 0.52mm

LU-1016AUTO F Series

Staplers

10J Series Stapler

LU-1025JAC



Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available

Fasteners

- 20 Gauge Staples
- Compatible with Max 10J Series
- \square .047 x .024" / 1.2 x 0.6mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.2 kgs	223 x 58 x 199mm	5 - 7 kg/cm ²	100 staples
2.64 lbs	8.8 x 2.3 x 7.8"	70 - 100 psi	100 staples

LU-1025JAC



Staplers

All Series Auto-Fire Staplers,
Long Magazine

LU-1116.1AUTO/LM



Features

- New & Improved
- Speed Adjustable. Minimum 27 Staples / Sec when Adjusted to Highest Speed.
- Light Squeeze Trigger to Single Fire, Full Squeeze to Auto-Fire No Adjustment Needed
- Hammer Cap
- Rear Exhaust
- Bottom Load Long Magazine – Quick Load and Easy Jam Clearance
- Low Fastener Re-Load Indicator Window

Fasteners

- A11 Series
- Compatible with Rapid 140, Arrow T50 Series
- \square .021 x .049" / 0.53 x 1.25mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.1 kgs	352 x 45 x 148mm	6 - 7.7 kg/cm ²	216 staples
2.4 lbs	13.8 x 1.8 x 5.8"	85 - 110 psi	216 staples

LU-1116.1AUTO/LM



Staplers

10J Series Stapler

LU-1025JAC



Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available

Fasteners

- 20 Gauge Staples
- Compatible with Max 10J Series
- \square .047 x .024" / 1.2 x 0.6mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.2 kgs	223 x 58 x 199mm	5 - 7 kg/cm ²	100 staples
2.64 lbs	8.8 x 2.3 x 7.8"	70 - 100 psi	100 staples

LU-1025JAC



Staplers

50 Series Fine Wire Stapler

LU-5018AC



Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust to Avoid Oil Stains on Work Piece
- Slim Long Nose for Easy, Precise Staple Placement
- Double Trigger for Increased Safety
- Comfortable Rubber Grip

Fasteners

- 50 Series Staples
- Compatible with Complete 50, Duo-Fast 50, BeA 95, Omer 50, Prebena D
- \square .050 x .020" / 1.27 x 0.50mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.0 kgs	220 x 43 x 163mm	5 - 7 kg/cm ²	100 staples
2.2 lbs	8.7 x 1.7 x 6.4"	70 - 100 psi	100 staples

LU-5018AC



Staplers

19 GA 64 Series Stapler



LU-6432

Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available

Fasteners

- Compatible with Duo-Fast 64 Series
- \square .050 x .030" / 1.25 x 0.75mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.2 kgs	223 x 58 x 199mm	5 - 7 kg/cm ²	100 staples
2.64 lbs	8.8 x 2.3 x 7.8"	70 - 100 psi	100 staples

LU-6432



Staplers

18 GA Narrow Crown Stapler



LU-9025AC

Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available

Fasteners

- 90 Series
- Compatible with Complete L, BeA 90, Duo-Fast 1800, Senco L Series
- \square .050 x .040" / 1.25 x 1.00 mm

Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.2 kgs	223 x 58 x 199 mm	5 - 7 kg/cm ²	100 staples
2.64 lbs	8.8 x 2.3 x 7.8"	70 - 100 psi	100 staples

LU-9025AC



Staplers

18 GA Narrow Crown Stapler



LU-9032AC

Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available

Fasteners

- 90 series staples
- Compatible with Atro 90, BeA 90, Duo-Fast 1800, Hitachi 11100, Haubold 6000, ISM 90, JK 781 & Senco L Series
- \square .050 x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.30 kgs	223 x 58 x 213mm	5 - 7 kg/cm ²	100 staples
2.86 lbs	8.8 x 2.3 x 8.4"	70 - 100 psi	100 staples

LU-9032AC



Staplers

18 GA Narrow Crown Stapler, Light Duty



LU-9040LAC

Features

- 360° Adjustable Air Deflector
- Bottom Load
- Light Weight
- Well Balanced

Fasteners

- 90 Series Staples
- Compatible with Atro 90, BeA 90, Duo-Fast 1800, Hitachi 11100, Haubold 6000, ISM 90, JK 781 & Senco L Series
- \square .050 x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.38 kgs	223 x 58 x 246mm	5 - 7 kg/cm ²	100 staples
3.03 lbs	8.8 x 2.3 x 9.7"	70 - 100 psi	100 staples

LU-9040LAC



Staplers

18 GA Narrow Crown Stapler,
Light Duty



LU-9040LAD

Features

- 360° Adjustable Air Deflector
- Bottom Load
- Light Weight
- Well Balanced
- Tool-Free Depth Adjustment

Fasteners

- Compatible with 90 Series : Complete L, BeA 90, Duo-Fast 1800, Senco L Series
- \square .050" x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.38 kgs	223 x 58 x 246mm	5 - 7 kg/cm ²	100 staples
3.03 lbs	8.8 x 2.3 x 9.7"	70 - 100 psi	100 staples

LU-9040LAD



Staplers

18 GA Narrow Crown Stapler,
Heavy Duty



LU-9040KT

Features

- 360° Adjustable Exhaust
- Top Load Long Magazine for Increased Efficiency, Quick and Easy Re-loading
- Well Balanced and Light Weight
- Powerful Motor with Minimum Recoil for Enhanced Comfort of Use and Productivity
- Tool-Free Quick Release Nose for Jam Removal in Seconds

Fasteners

- 18 GA Narrow Crown 90 Series
- Compatible with Complete L, BeA 90, Duo-Fast 1800, Senco L Series
- \square .050" x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.2 kgs	303 x 72 x 256mm	5 - 7 kg/cm ²	150 staples
2.64 lbs	11.92 x 2.83 x 10.07"	70 - 100 psi	150 staples

LU-9040KT



Staplers

18 GA Narrow Crown Stapler,
Heavy Duty



LU-9040HAC

Features

- Heavy Duty Version for Hardwood Applications
- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger

Fasteners

- 90 Series Staples
- Compatible with Atro 90, BeA 90, Duo-Fast 1800, Hitachi 11100, Haubold 6000, ISM 90, JK 781 & Senco L Series
- \square .050" x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.75 kgs	272 x 72 x 271mm	5 - 7 kg/cm ²	100 staples
3.85 lbs	10.7 x 2.8 x 10.7"	70 - 100 psi	100 staples

LU-9040HAC



Staplers

18 GA Medium Crown Stapler



LU-9225AC

Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available

Fasteners

- 92 Series Staples
- Compatible with Atro 92, BeA 92, Bostitch SL5035, JK 664, Nikema 92, Prebena H Series
- \square .050" x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.2 kgs	223 x 58 x 199mm	5 - 7 kg/cm ²	100 staples
2.64 lbs	8.8 x 2.3 x 7.8"	70 - 100 psi	100 staples

LU-9225AC



Staplers

18 GA Medium Crown Stapler,
Light Duty



LU-9240LAC

Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available

Fasteners

- 92 Series Staples
- Compatible with Atro 92, BeA 92, Bostitch SL5035, JK 664, Nikema 92, Prebena H Series
- \square .050 x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.38 kgs	223 x 58 x 246mm	5 - 7 kg/cm ²	100 staples
3.03 lbs	8.8 x 2.3 x 9.7"	70 - 100 psi	100 staples

LU-9240LAC



Staplers

18 GA Medium Crown Stapler



LU-G25AC

Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available

Fasteners

- G Series
- Compatible with Complete M, Duo-Fast W18, JK 782, Omer SG44, Senco M, Prebena G Series
- \square .050 x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.2 kgs	223 x 58 x 199mm	5 - 7 kg/cm ²	100 staples
2.64 lbs	8.8 x 2.3 x 7.8"	70 - 100 psi	100 staples

LU-G25AC



Staplers

18 GA Medium Crown Stapler,
Heavy Duty



LU-9240HAC

Features

- Heavy Duty Version for Hardwood Applications
- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger

Fasteners

- 92 Series Staples
- Compatible with Atro 92, BeA 92, Bostitch SL5035, JK 664, Nikema 92, Prebena H Series
- \square .050 x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.75 kgs	272 x 72 x 271mm	5 - 7 kg/cm ²	100 staples
3.85 lbs	10.7 x 2.8 x 10.7"	70 - 100 psi	100 staples

LU-9240HAC



Staplers

18 GA Medium Crown Stapler,
Long Nose



LU-G32HAC

Features

- 360° Adjustable Air Deflector
- Bottom Load
- Light Weight
- Well Balanced
- With Vinyl Siding Guide
- Long Slim Nose

Fasteners

- G Series
- Compatible with Complete M, Duo-Fast W18, JK 782, Omer SG44, Senco M, Prebena G Series
- \square .050 x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.35 kgs	223 x 58 x 236mm	5 - 7 kg/cm ²	100 staples
2.97 lbs	8.8 x 2.3 x 9.3"	70 - 100 psi	100 staples

LU-G32HAC



Staplers

18 GA Medium Crown Stapler



LU-G40LAC

Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available
- Vinyl Siding Yoke available (#18303101A)

Fasteners

- G Series
- Compatible with Complete M, Duo-Fast W18, JK 782, Omer SG44, Senco M, Prebena G Series
- \square .050 x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.38 kgs	223 x 58 x 249mm	5 - 7 kg/cm ²	100 staples
3 lbs	8.8 x 2.3 x 9.8"	70 - 100 psi	100 staples

LU-G40LAC



Staplers

18 GA Wide Crown Stapler



LU-9438AC

Features

- 360° Rotatable Air Deflector
- Bottom Load, Durable Aluminum Magazine
- Comfortable Rubber Grip
- Bump Fire Trigger
- Sequential Trigger Valve Available
- Belt Hook Available

Fasteners

- 94 series staples
- Compatible with Omer 94, Aro 94, BeA 94, Bostitch 94, Prebena HB Series
- \square .050 x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.38 kgs	223 x 58 x 249mm	5 - 7 kg/cm ²	100 staples
3 lbs	8.8 x 2.3 x 9.8"	70 - 100 psi	100 staples

LU-9438AC



Staplers

18 GA Wide Crown Stapler



LU-50040LAC

Features

- 360° Adjustable Air Deflector
- Bottom Load
- Light Weight
- Well Balanced
- Vinyl Siding Yoke Available (#18303101A)

Fasteners

- 500 Series
- Compatible with Haubold 500 Series Staples
- \square .050 x .040" / 1.25 x 1.0mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.38 kgs	223 x 58 x 249mm	5 - 7 kg/cm ²	100 staples
3.03 lbs	8.8 x 2.3 x 9.8"	70 - 100 psi	100 staples

LU-50040LAC



Staplers

16 GA Medium Crown Stapler



LU-851LC1

Features

- Lightweight and Well-Balanced to Reduce Fatigue and Increased Handling
- Tool-Free Depth of Drive Adjustment
- Robust Metal 360° Adjustable Exhaust
- Extended Two Finger Trigger
- Dedicated Bump Fire (Orange) or Full Sequential Trigger (Black) Available
- Tool-Free Quick-Release Nose for Jam Clearance
- Robust Light Engineered Polymer Magazine with Stainless Rail Top for Increased Durability
- Top Load Long Magazine - Quick Loading
- Open Magazine for Viewing Fastener Quantity
- Protected Pusher Spring
- Slim Long Nose for Easy Line of Sight & Easy Access to Tight Spots
- Increased Bumper Life = Less Downtime and Service Cost

Fasteners

- 16 GA - Compatible with Complete N, BeA 16(155), Senco N, Haubold KG 700, Duo-Fast 7600
- 17 GA - Compatible with Senco O Series


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.18 kgs	377 x 72 x 276mm	6 - 8 kg/cm ²	140 staples
4.8 lbs	14 7/8 x 2 7/8 x 10 7/8"	70 - 110 psi	140 staples

LU-851LC1/16GA
LU-851LC1/17GA



Staplers

16 GA Medium Crown Stapler



LU-851F2

Features

- Patented Quick Release Nose Cover
- 360° Adjustable Metal Exhaust
- Heavy Duty, Well Balanced
- Depth Adjustment
- Dedicated Bump Fire Trigger
- Sequential Trigger Available (#25205301A)
- Top Load Long Magazine

Fasteners

- Compatible with Hitachi 11200, Omer M2, Senco N Series
- ⌘ .063 x .055" / 1.6 x 1.4mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.9 kgs	343 x 97 x 307mm	6 - 8 kg/cm ²	140 staples
6.5 lbs	13.5 x 3.8 x 12.1"	85 - 110 psi	140 staples

LU-851F2



Staplers

16 GA Medium Crown Stapler



LU-851KGF2

Features

- Patented Quick Release Nose Cover
- 360° Adjustable Air Deflector
- Heavy Duty, Well Balanced
- Sequential Fire Trigger Available (#25205301A)

Fasteners

- Compatible with Duo-Fast 7600, Haubold KG 700, Omer 700 Series
- ⌘ .063 x 0.055" / 1.6 x 1.4mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.9 kgs	343 x 97 x 307mm	6 - 8 kg/cm ²	140 staples
6.5 lbs	13.5 x 3.8 x 12.1"	85 - 110 psi	140 staples

LU-851KGF2



Staplers

16 GA Medium Crown Stapler



LU-864F

Features

- Patented Quick Release Nose Cover
- 360° Adjustable Air Deflector
- Heavy Duty, Well Balanced
- Sequential Fire Trigger Available (#25205301A)

Fasteners

- Compatible with Hitachi 11200, Omer M2, Senco N Series
- ⌘ .063 x .055" / 1.6 x 1.4mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.9 kgs	343 x 97 x 307mm	6 - 8 kg/cm ²	140 staples
6.5 lbs	13.5 x 3.8 x 12.1"	85 - 110 psi	140 staples

LU-864F



Staplers

16 GA Medium Crown Stapler



LU-864KGF

Features

- Patented Quick Release Nose Cover
- 360° Adjustable Air Deflector
- Heavy Duty, Well Balanced
- Sequential Fire Trigger Available (#25205301A)

Fasteners

- Compatible with Duo-Fast 7600, Haubold KG 700, Omer 700 Series
- ⌘ .063 x .055" / 1.6 x 1.4mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.9 kgs	343 x 97 x 307mm	6 - 8 kg/cm ²	140 staples
6.5 lbs	13.5 x 3.8 x 12.1"	85 - 110 psi	140 staples

LU-864KGF



Staplers

16 GA Medium Crown Stapler



LU-964F

Features

- Patented Quick Release Nose Cover
- 360° Adjustable Air Deflector
- Heavy Duty, Well Balanced
- Sequential Fire Trigger Available (#25205301A)

Fasteners

- Compatible with Bostitch B5C4, Max 9T, Omer S4, Prebena S Series
- 0.063 x .055" / 1.6 x 1.4mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.9 kgs	343 x 97 x 307mm	6 - 8 kg/cm ²	140 staples
6.5 lbs	13.5 x 3.8 x 12.1"	85 - 110 psi	140 staples

LU-964F



Staplers

14GA Wide Crown Stapler, Light Duty



LU-1438.1

Features

- Patented Quick Release Nose Cover
- 360° Adjustable Air Deflector
- Heavy Adjustable Air Deflector
- Sequential Fire Trigger Available (#34903501A)

Fasteners

- 14 Gauge Staples
- Compatible with Bostitch 538S214, Paslode 4150-W14,
- Spotnails MS 2440
- Ø .070x .082" / 1.8 x 2.1mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.1 kgs	356 x 95 x 290 mm	6 - 8 kg/cm ²	118 Staples
6.82 lbs	14.01 x 3.74 x 11.41"	80 - 110 psi	118 Staples

LU-1438.1



Staplers

15 GA Medium Crown Stapler



LU-1580F

Features

- Patented Quick Release Nose Cover
- 360° Adjustable Air Deflector
- Heavy Duty, Well Balanced
- Sequential Fire Trigger Available (#25205301A)

Fasteners

- Compatible with Duo-Fast 1500, Haubold 7900, Senco Q Series
- 0.075 x .067" / 1.9 x 1.7mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.9 kgs	343 x 97 x 307mm	6 - 8 kg/cm ²	140 staples
6.5 lbs	13.5 x 3.8 x 12.1"	85 - 110 psi	140 staples

LU-1580F



Staplers

14GA Wide Crown Stapler, Heavy Duty



LU-1438

Features

- Patented Quick Release Nose Cover
- 360° Adjustable Air Deflector
- Heavy Adjustable Air Deflector
- Sequential Fire Trigger Available (#25205301A)

Fasteners

- 14 Gauge Staples
- Compatible with Bostitch 538S214, Paslode 4150-W14,
- Spotnails MS 2440
- Ø .070x .082" / 1.8 x 2.1mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.1 kgs	356 x 95 x 290 mm	6 - 8 kg/cm ²	118 Staples
6.82 lbs	14.01 x 3.74 x 11.41"	80 - 110 psi	118 Staples

LU-1438



Staplers

16GA Wide Crown Stapler,
Light Duty



LU-2538.1

Features

- Patented Quick Release Nose Cover
- 360° adjustable air deflector
- Sequential fire trigger available(#34903501A)

Fasteners

- 16 Gauge Staples
- Compatible with BOSTITCH BCS(16S2), Complete 16S2 Series
- Ø .063 x .055" / 1.6 x 1.4 mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.6 kgs	373 x 70 x 260mm	6 - 8 kg/cm ²	140 staples
5.2 lbs	14.7" x 2.75" x 10.23"	80 - 110 psi	140 staples

LU-2538.1



Staplers

16GA Wide Crown Stapler,
Light Duty



LU-2638.1

Features

- Patented Quick Release Nose Cover
- 360° adjustable air deflector
- Sequential fire trigger available(#34903501A)

Fasteners

- 16 Gauge Staples
- Compatible with Complete P, Senco PW150R/P, Hitachi N5024A/11300, Duo-Fast RNS-17481/1716 cgr Series
- Ø .063 x .055" / 1.6 x 1.4 mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.6 kgs	373 x 70 x 260mm	6 - 8 kg/cm ²	140 staples
5.2 lbs	14.7" x 2.75" x 10.23"	80 - 110 psi	140 staples

LU-2638.1



Staplers

16 GA Wide Crown Stapler,
Heavy Duty



LU-2538

Features

- Patented Quick Release Nose Cover
- 360° adjustable air deflector
- Heavy adjustable air deflector
- Sequential fire trigger available(#25205301A)

Fasteners

- 16 Gauge staples
- Compatible with BOSTITCH BCS(16S2), Complete 16S2 Series
- Ø .063 x .055" / 1.6 x 1.4 mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.1 kgs	356 x 95 x 290 mm	6 - 8 kg/cm ²	140 staples
6.82 lbs	14.01 x 3.74 x 11.41"	80 - 110 psi	140 staples

LU-2538



Staplers

16 GA Wide Crown Stapler,
Heavy Duty



LU-2638

Features

- Patented Quick Release Nose Cover
- 360° adjustable air deflector
- Heavy adjustable air deflector
- Sequential fire trigger available(#25205301A)

Fasteners

- 16 Gauge staples
- Compatible with Complete P, Senco PW150R/P, Hitachi N5024A/11300, Duo-Fast RNS-17481/1716CGR Series
- Ø .063 x .055" / 1.6 x 1.4 mm


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.1 kgs	356 x 95 x 290 mm	6 - 8 kg/cm ²	140 staples
6.82 lbs	14.01 x 3.74 x 11.41"	80 - 110 psi	140 staples

LU-2638



Staplers - Fine Wire



Wire Gauge	Staple Type	F Series up to 16mm	AC Series up to 16mm	LAC Series up to 16mm	Auto series up to 16mm	AC series up to 25mm
23	SJK	LU-SJK16				
23	71	LU-7116F	LU-7116AC	LU-7116LAC	LU-7116.1AUTO LU-7116.1AUTO/LM	
23	14		LU-1416AC			
23	23	LU-2316F				
22	10F	LU-1016F	LU-1010FAC		LU-1016AUTO	
21	97	LU-9716F				LU-9725AC
21	84		LU-8416AC			
21	80	LU-8016F	LU-8016AC	LU-8016LAC	LU-8016.1AUTO LU-8016.1AUTO/LM	LU-8025AC
20	4J					LU-425JAC
20	10J	LU-1016J	LU-1013JAC		LU-1016AUTO	LU-1025JAC
20	A11				LU-1116AUTO/LM	
20	50		LU-5018AC			
19	64					LU-6432, LU-6432LM LU-6432EN/LM

Staplers - Medium Wire



Wire Gauge	Staple Type	up to 25mm	up to 32mm	up to 40mm Light Duty	up to 40mm Heavy Duty	up to 40mm Heavy Duty
18	90	LU-9025AC	LU-9032AC	LU-9040LAC	LU-9040HAC	LU-9040KT
18	92	LU-9225AC	LU-9232AC	LU-9240LAC	LU-9240HAC	
18	G	LU-G25AC	LU-G32HAC	LU-G40LAC		
18	500			LU-50040LAC		
18	94			LU-9438AC		

Staplers - Heavy Wire



Wire Gauge	Staple Type	Light Duty up to 50mm	Heavy Duty up to 50mm	Heavy Duty up to 64mm
17	O	LU-851LC1		
16	N	LU-851LC1	LU-851F2	LU-864F
16	KG	LU-851LC1	LU-851KGF2	LU-864KGF
16	9			LU-964F
15	Q			LU-1580F



Specialty p 58-66

Pneumatic Hog Ring Tools

LPHC




Features

- Available in Short (S = 25mm), Medium (M = 40mm) and Long (L = 48mm) Nose Working Length for Different Applications
- Comfortable Ergonomic Rubber Handle
- Light Weight and Well Balanced
- Adjustable Exhaust Deflector
- Steel Casted Trigger for Enhanced Durability
- Low Noise

Applications

- Bag Closure
- Cage Grid Secure
- Auto Seat
- Wire Mesh Closure
- Label Attachment
- Spring Bed / Mattress

Model coding system:



Tool Specifications


Model	WL	C-Ring Type		Tool Weight	Magazine Capacity	Similar to Meihotech	Similar to Stanley	
LPHC-A815-S	25mm 1"	Ø 1.8mm .070"	19mm 3/4"	7.9 - 10.7mm 5/16 - 13/32"	1.40 kgs 0.64 lbs	100 pcs	MC-6, MC-6LW	SC7
LPHC-A815-M	40mm 9/16"	15 Gauge 15G100		1.45 kgs 0.66 lbs			MC-6LNA, MC-6LNALW	SC7E
LPHC-A815-L	48mm 2"			1.50 kgs 0.68 lbs				SC77XE
LPHC-A515-S	25mm 1"		19mm 3/4"	4.8 - 8.7mm 3/16 - 11/32"	1.40 kgs 0.64 lbs		MC-6CA, MC-6CALW	SC7C
LPHC-A816-S	25mm 1"	Ø 1.6mm .063"	19mm 3/4"	7.9 - 10.7mm 5/16 - 13/32"	1.40 kgs 0.64 lbs	110 pcs		
LPHC-A816-M	40mm 9/16"	16 Gauge 16G110		1.45 kgs 0.66 lbs				
LPHC-A816-L	48mm 2"			1.50 kgs 0.68 lbs				
LPHC-A516-S	25mm 1"		19mm 3/4"	4.8 - 8.7mm 3/16 - 11/32"	1.40 kgs 0.64 lbs			SC743
LPHC-C316-S	25mm 1"	Ø 1.6mm .063" 16 Gauge 516G100	12.5mm 1/2"	3.2 - 5.6mm 1/8 - 7/32"	1.40 kgs 0.64 lbs	100 pcs	MC-660	SC760

Pneumatic Hog Ring Tools


LPHCN



LPHC Series Tools Conventional C Ring Style




LPHCN Series Tools New C Ring Style



Model	WL	C-Ring Type		Tool Weight	Magazine Capacity	Similar to Meihotech	Similar to Stanley
LPHCN-A815-S	25mm 1"	Ø 1.8mm .070"		7.9 - 10.7mm 5/16 - 13/32"	1.40 kgs 0.64 lbs		
LPHCN-A815-M	40mm 9/16"	15 Gauge 15G100N	19mm 3/4"		1.45 kgs 0.66 lbs	100 pcs	
LPHCN-A815-L	48mm 2"				1.50 kgs 0.68 lbs		

Mattress Stapler MS-1619



Features

- Drives Staples into Hard-To-Reach Places Such as Bottom of Coil Springs
- Powerful and Quick Fastener Placement
- Single or Double Staple Fire Versions Available: Single Staple: Shoots 1 Staple Per Cycle
Double Staple: Shoots 2 Staples Per Cycle, for Increased Efficiency of Staple Placement
- Tools Available:

Model	Staples used	Firing Version
MS-1619	19mm	Double Staple
MS-1619S	19mm	Single Staple
MS-1625	19 & 25mm	Double Staple
MS-1625S	19 & 25mm	Single Staple

Fasteners

- U-Crown Diversion Points Staples
- Similar to Bostitch BSC31
- \square .062 x .057" (1.6 x 1.4mm)

Applications

- Bedding
- Spring-Up
- Assembly

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
3.5 kgs	470 x 35 x 830mm	5 - 7 kg/cm ²	180 staples
7.7 lbs	18.5 x 1.4 x 32.7"	70 - 100 psi	180 staples

Nail Puncher NP-50



Features

- Powerful
- Fast for Increased Efficiency

Fasteners

- Length: 25 - 57mm (1 - 2 1/4")
- \varnothing : .083 - .090" (2.1 - 2.3mm)

Applications

- Remove Nails from Wood for Pallet Recycling

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1 kgs	245 x 65 x 225mm	5 - 6 kg/cm ²	1
2.2 lbs	9.7 x 2.6 x 8.9"	70 - 85 psi	1

Nail Puncher NP-57E



Features

- Powerful
- Fast for Increased Efficiency

Fasteners

- Length: 25 - 57mm (1" - 2 1/4")
- \varnothing : .083 - .090" (2.1 - 2.3mm)

Applications

- Remove Nails from Wood for Pallet Recycling

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.8 kgs	263 x 282 x 100mm	5 - 6 kg/cm ²	1
4.0 lbs	10.4 x 11 x 3.9"	70 - 85 psi	1

Nail Puncher

NP-70E



Features

- Powerful
- Fast for Increased Efficiency

Fasteners

- Length: 1 3/4 - 2 3/4" (45 - 70mm)
- Ø: .099 - .113" (2.5 - 2.9mm)

Applications

- Remove Nails from Wood for Pallet Recycling

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.6 kgs	295 x 305 x 120mm	5 - 6 kg/cm ²	1
5.7 lbs	11.6 x 12 x 4.7"	70 - 85 psi	1

Stapler

2-in-1 Medium & Narrow Crown Stapler for Polymer



Features

- Hammer Cap
- Bottom Load, Jam Free Magazine
- Rear Exhaust Cover
- Slim Long Nose for Easy Aiming
- Accepts Both Narrow & Medium Polymer Staples

Fasteners

- 1/2" (12.8mm) & 3/8" (10mm) Crown Polymer Staples


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
0.88 kgs	219 x 43 x 144mm	4 - 7 kg/cm ²	75 - 80 Staples
1.95 lbs	8.6 x 1.7 x 5.7"	60 - 100 psi	75 - 80 Staples

LU-8016FP



Corrugated Fastener Tool

CF-15AA



Features

- Bottom Load Magazine
- Easy Magazine Adjustment
- Jam-Free Magazine
- Powerful

Fasteners

- Compatible with Bea W, Duo-Fast CF, Haubold WN, Senco SC2, Omer CF Series


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.7 kgs	286 x 94 x 312mm	5.5 - 7 kg/cm ²	100 fasteners
5.95 lbs	11.3 x 3.7 x 12.3"	80 - 100 psi	100 fasteners

CF-15AA Senco Type



Corrugated Fastener Tool

CF-15AP



Features

- Bottom Load Magazine
- Easy Magazine Adjustment
- Jam-Free Magazine
- Powerful

Fasteners

- Compatible with Paslode Series


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.7 kgs	286 x 94 x 312mm	5.5 - 7 kg/cm ²	100 fasteners
5.95 lbs	11.3 x 3.7 x 12.3"	80 - 100 psi	100 fasteners

CF-15AP Paslode Type



Palm Nailer

PTS-8400



Features

- Cost Saving
- Ergonomic Handle
- Multiple Impact
- Leather Glove Available for Enhanced Comfort

Suggested Air Pressure for Different Range of Nail Sizes:

Nail size		Air pressure	
mm	inch	kg / cm ²	psi
20 - 25	3/4 - 1"	3.5 - 5.5	50 - 80
25 - 38	1 - 1 1/2"	5.5 - 7.0	80 - 100
38 - 165	1 1/2 - 6 1/2"	7.0 - 8.0	100 - 120

PTS-8400 KIT Accessories Include:

- Plastic Carry Case
- (L) Magnetized Guide Tip Unit - for Nail Head Ø Up to 10mm
- (S) Magnetized Guide Tip Unit - for Nail Head Ø Up to 5mm
- Magnetized Guide Tip Unit
- Guide Tip - for Larger Diameter Nails or Buttons for Bags or Leather Goods
- Steel Hammer Unit
- Rubber Hammer Unit
- Chisel Unit
- Leather Glove for Enhanced Comfort
- Maintenance Kits-O-Rings, Wrenches and Oil


Applications



Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1 kgs	124 x 86 x 134mm	3.5 - 8 kg / cm ²	1
2.2 lbs	4.9 x 3.4 x 5.3"	50 - 120 psi	1

PTS-8400



Metal Connector Nailer

AMC-38



Features

- Light Weight, Impact Design to Reach The Tightest Corners
- Nail Point Sticks Out for Accurate Metal Connector Hole Aiming and Fastening
- Sequential Trigger for Precise Nail Placement
- Swivel Belt Hook for Both Left And Right-Handed Users
- Over-Molded Rubber Grip for Added Comfort and Less Fatigue
- Floating Pusher for Quick Re-Loading of Nails
- Dry-Fire Lock to Prevent Un-Intended Nailing
- 360° Adjustable Exhaust Deflector
- Swivel Air-Inlet for Less Hose Tangling

Fasteners

- 34° Paper Tape Round Head Nails
- Ø: .131 - .162" / 3.3 - 4.1mm

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.25 kgs	365 x 90 x 295mm	5.5 - 7 kg/cm ²	29 nails
4.95 lbs	14 3/8 x 3 1/2 x 11 5/8"	80 - 100 psi	29 nails

Applications

- Joist Hangers
- Metal Connectors

AMC-38



18 GA Flooring Stapler

AFS-9040



Features

- Light & Well Balanced
- Powerful, Drives into Hardwood at Ease.
- Quick Adjustable "Legs" and "Shoe" to Adapt 6-16mm (1/4 - 5/8") Thick Tongue-and-Groove Hardwood Floors
- Drives Staples at A Perfect 45° Angle Every Time and Avoids Tongue Splitting and Floor Surface Damage

Fasteners

- 90 Series Staples
- Compatible With Complete L, Atro 90, BeA 90, Duo-Fast 1800, Hitachi 11 100, Haubold 6000, ISM 90, JK 781 & Senco L Series
- □ .050 x .040" / 1.25 x 1.0mm


Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
1.78 kgs	360 x 90 x 300mm	5 - 7 kg/cm ²	160 staples
3.9 lbs	14 1/8 x 3 1/2 x 11 7/8"	70 - 100 psi	160 staples

Applications

- Pre-Finished Groove-and-Tongue Hardwood Floor Installation

AFS-9040



Specialty

Pneumatic Clinch Nailer



Applications



CN-70CL

Features

- Ergonomic Design, Ideal for Pallet Repairs
- Powerful, Rapid Nailing Performance
- Well Protectors Equipped
- Top Exhaust Cap Available

Fasteners

- 15° Flat Wire Collated Clinch Nails
- Length: 1-3/4"~2-1/4" (45-57mm)
- Shank Diameter : .090-.113" (2.3-2.9 mm)
- Shank Type : Smooth, Ring & Screw

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
7.6 kgs	370 x 148x 400 mm	5 - 7 kg/cm ²	225-300 nails
16.76 lbs	14.6" x 5.83" x 15.75"	70 - 100 psi	225-300 nails

CN-70CL



Specialty

Hardwood Flooring Stapler



Applications



HWFS-50

Features

- Patented Quick Release Nose Cover
- Drives Staples at a Perfect 45° Angle
- Powerful, Drives Into Hardwood at Easy
- Avoid Tongue Splitting and Floor Surface Damage
- Extra-Wide Composite Base Plate for Added Stability
- Long Reach Handle for Comfort and Easy Operation
- Top Load Long Magazine


Fasteners

- Compatible with Hitachi 04722H/24H, Bostitch BCS1512/14/16, Complete BCS1500 Series
- □.071" x .064" / 1.8 x 1.6 mm

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
4.5 kgs	453 x 92 x 560 mm	5 - 7 kg/cm ²	140 staples
9.92 lbs	17.83" x 3.62" x 22.05"	70 - 100 psi	140 staples

HWFS-50



Carton Closing p 68-73

Carton Closing Staplers

Strip Series



Features

- Ergonomic Handle
- Light Weight and Well Balanced
- Depth of Clinch and Penetration Adjustable
- Raised Top Cap for Enhanced Durability
- Low Noise

Fasteners

Model	Staple Type	Crown	Length	Shank Diameter
CS-19A	A strip	34.7mm 1 3/8"	15 & 18mm 5/8 & 3/4"	2.3 x 0.9mm .090 x .037"
CS-19C	C strip	32mm 1 1/4"	15 & 18mm 5/8 & 3/4"	1.9 x 0.9mm .074 x .037"
CS-19SW	SW7437 strip	34.5mm 1 3/8"	15 & 18mm 5/8 & 3/4"	1.9 x 0.9mm .074 x .037"
CS-22A	A strip	34.7mm 1 3/8"	18 & 22mm 3/4 & 7/8"	2.3 x 0.9mm .090 x .037"
CS-22C	C strip	32mm 1 1/4"	18 & 22mm 3/4 & 7/8"	1.9 x 0.9mm .074 x .037"
CS-229040	9040 strip	34.5mm 1 3/8"	18 & 22mm 3/4 & 7/8"	2.3 x 0.9mm .090 x .037"

Manual Tools

Model	Staples Type	Length
MCS-19A	A strip	15 & 18mm
MCS-19C	C strip	5/8 & 4/3"
MCS-19SW	SW7437 strip	

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.0 kgs	335 x 115 x 220mm	5 - 7 kg/cm ²	100
4.4 lbs	13 1/8 x 4 1/2 x 8 5/8"	70 - 100 psi	100



Carton Closing Staplers

Strip Series



ACS-15C/ACS-18C



AMS-15C/AMS-18C

Features

- C Strip Staple Type
- Ergonomic Handle
- Light Weight and Well Balanced
- Raised Top Cap for Enhanced Durability
- Long Magazine for 150 Staples
- Two-piece magazine design more durable

Fasteners

Model	Staple Type	Crown	Length	Shank Diameter
ACS-15C	C Strip	32 mm 1 1/4"	15 mm 5/8"	1.9x0.9 mm .074 x .037"
ACS-18C	C Strip	32 mm 1 1/4"	18 mm 3/4"	1.9x0.9 mm .074 x .037"
AMS-15C	C Strip	32 mm 1 1/4"	15 mm 5/8"	1.9x0.9 mm .074 x .037"
AMS-18C	C Strip	32 mm 1 1/4"	18 mm 3/4"	1.9x0.9 mm .074 x .037"

Tool Specifications

Model	Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
ACS-15C	2.4 kgs	530 x 90 x 320mm	5 - 7 kg/cm ²	150 staples
ACS-18C	5.3 lbs	20.8 x 3.5 x 12.6"	70 - 100 psi	150 staples
AMS-15C	2.5 kgs	420 x 90 x 125mm	5 - 7 kg/cm ²	150 staples
AMS-18C	5.5 lbs	16.5 x 3.5 x 8.5"	70 - 100 psi	150 staples

Carton Closing Staplers

Coil Series



Features

- Ergonomic Handle
- Light Weight and Well Balanced
- Ideal for High Volume and Efficient Applications
- Quick Release to Prevent Jams
- Tightness and Depth of Clinch Adjustable
- Raised Top Cap for Enhanced Durability
- Low Noise

Fasteners

Model	Staple Type	Crown	Length	Shank Diameter
CCS-19SWC	SWC Coil	34.5mm 1 3/8"	15 & 18mm 5/8 & 3/4"	1.9 x 0.9mm .074 x .037"
CCS-19RR	RR1 Coil	32mm 1 1/4"	15 & 18mm 5/8 & 3/4"	1.9 x 0.9mm .074 x .037"
CCS-19GR	GR1 Coil	32mm 1 1/4"	15 & 18mm 5/8 & 3/4"	2.3 x 0.9mm .090 x .037"
CCS-22GR	GR1 Coil	32mm 1 1/4"	18 & 22mm 3/4 & 7/8"	2.3 x 0.9mm .090 x .037"
CCS-19T	T Coil	32mm 1 1/4"	15 & 18mm 5/8 & 3/4"	1.9 x 0.9mm .074 x .037"

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
2.4 kgs	233 x 115 x 230mm	5 - 7 kg / cm ²	1000
5.28 lbs	9 1/8 x 4 1/2 x 9"	70 - 100psi	1000

Pneumatic Foot Bottomers

LPB & LPS Series



LPB Bottomers

LPS Side Bottomers

Features

- Suggested for High Volume Production Outputs – 50 to 100 Carton Bottoms Per Hour
- Equipped with A Safety Foot Pedal

Fasteners

Bottomers	Side Bottomers	Staple Type	Crown	Length
LPB-19SW	LPS-19SW	SW7437 strip	34.5mm 1 3/8"	15 & 18mm 5/8 & 3/4"
LPB-22A	LPS-22A	A strip	34.7mm 1 3/8"	15, 18 & 22mm 5/8, 3/4 & 7/8"
LPB-22C	LPS-22C	C strip	32mm 1 1/4"	15, 18 & 22mm 5/8, 3/4 & 7/8"
LPB-229040	LPS-229040	9040 strip	34.5mm 1 3/8"	15, 18 & 22mm 5/8, 3/4 & 7/8"

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure	Load Capacity
22.7 kg	830 x 600 x 1245mm	5.5 - 6kg/cm ²	200
50 lbs	32.6 x 23.6 x 49"	80 - 85 psi	200

Mechanical Foot Bottomers Are Also Available:

Bottomers	Side Bottomers	Staple Type
LMB-19SW	LMS-19SW	SW7437 strip
LMB-22A	LMS-22A	A strip
LMB-22C	LMS-22C	C strip
LMB-229040	LMS-229040	9040 strip

Jumbo Carton Closing Staplers

CJ-38



Features

- Comfortable Rubber Grip
- Rear Exhaust
- Trigger Actuated
- Depth of Clinch and Penetration Adjustable
- Designed for Tri-Wall Corrugated Cardboards (15 - 24mm Total Thickness)


Fasteners

Model	Similar to	Crown Size	Shank Diameter	Leg Length	Load Capacity
CJ-25	Bostitch SW9060	32mm 1 1/4"	2.3 x 1.4mm .090 x .060"	25mm 1"	100
CJ-32	Bostitch SW9060	32mm 1 1/4"	2.3 x 1.4mm .090 x .060"	28, 32, 35mm 1 1/8, 1 1/4, 1 3/8"	100
CJ-38	Bostitch SW9060	32mm 1 1/4"	2.3 x 1.4mm .090 x .060"	38mm 1 1/2"	100

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure
6 kgs	360 x 174 x 335mm	5 - 7 kg / cm ²
13.2 lbs	14 1/8 x 6 7/8 x 13 1/8"	70 - 100psi

CJ-38



Specialty Tools

Pneumatic Stapling Pliers

SP50 Series



CL Anvil

Features

- Powerful Shuttle Blade Provides Pre-Compression Prior to and During The Stapling Operating - Giving A Strong, Tight Closure Without Breaking The Corrugated Surface
- 6" x 1" High Throat Allows Flexibility of Staple Placement and Limits Interference from Obstacles Such As Box Flanges
- C Anvils (CL or CR Available for Sealing Partial Overlap Cartons)
- Penetrates and Securely Fastens up to 2 Thicknesses of Double-Wall:
 - 2x AB Flute or 4x C Flute Boards
 - (A Flute = 3/16" or 4.8mm Thick)
 - (B Flute = 1/8" or 3.2mm Thick)
 - (C Flute = 5/32" or 4.0mm Thick)

Fasteners

Tools	Staple Type	Similar to	Crown Size	Shank Diameter	Leg Length	Load Capacity
SP50-108-A	SB 103020	Bostitch SB 103020	12.95mm 1/2"	0.50 x 2.60mm .020 x .103"	10, 12, 15mm 3/8, 1/2, 5/8"	102
SP50-58-A	SB 5019	Bostitch SB 5019	12.85mm 1/2"	0.48 x 1.25mm .019 x .050"	6, 10, 12, 15mm 1/4, 3/8, 1/2, 5/8"	108
SP50-777-A	777	JK 777	12.3mm 1/2"	0.65 x 2.25mm .026 x .090"	10, 12, 15mm 3/8, 1/2, 5/8"	140
SP50-779-A	779	JK 779	12.3mm 1/2"	0.63 x 1.3mm .025 x .050"	8, 10, 12, 14, 16mm 5/16, 3/8, 1/2, 9/16, 5/8"	250


Applications

- Corrugated Containers
- Trays & Lids
- End Caps
- Headers & Bags
- Container Inserts
- Bedding

Tool Specifications

Weight	Dimensions (LxWxH)	Operating Pressure
2.2 kg	370 x 55 x 240mm	2.5 - 3.9kg/cm ²
4.8 lbs	14 1/2 x 2 1/8 x 9 1/2"	36 - 55 psi


SP103020




SB5019



777



779



Accessories

Hose Reels



Features

- Material: Polyurethane Braid Hose
- Maximum Working Pressure: 220PSI / 15BAR
- Working Temperature: -20° C to +60° C
- Features: 360° Rotary Base for High Efficiency

Hose Reels

Model	Hose Size MM	Inch	Hose Length MM	Feet
HR026530	6.5	1/4	30	100
HR026550	6.5	1/4	50	165
HR028020	8.0	5/16	20	66
HR028030	8.0	5/16	30	100
HR028040	8.0	5/16	40	132
HR028520	8.5	11/32	20	165
HR028530	8.5	11/32	30	100
HR029520	9.5	3/8	20	66
HR029530	9.5	3/8	30	100
HR021020	10.0	13/32	20	66

Bulk Hoses

Item	Hose Size (IDxOD)	Length (M)
PUB-050800	5 x 8mm	10, 20, 30, 50, 100
PUB-065100	6.5 x 10mm	10, 20, 30, 50, 100
PUB-080120	8 x 12mm	10, 20, 30, 50, 100
PUB-085125	8.5 x 12.5mm	10, 20, 30, 50, 100
PUB-100150	10 x 15mm	10, 20, 30, 50, 100
PUB-110160	11 x 16mm	10, 20, 30, 50, 100
PUB-130190	13 x 19mm	10, 20, 30, 50, 100

All Size of Re-coil Hoses Are Also Available.
Contact Our Customer Service for More Information.




Marketing Materials

Point of Sale Advertisement



Posters



APACH Window Decal (262mm x 158mm)




◦ AMKT0001

APACH Header (600mm x 200mm)



◦ AMKT0002



Marketing Materials

Packaging



APACH Cap



◦ AMKT0003

APACH T-Shirts




All Sizes of Shirts Available Upon Request

◦ AMKT0004 - Short Sleeve T-Shirts

A series of horizontal dotted lines for writing notes on page 78.

A series of horizontal dotted lines for writing notes on page 79.



APACH INDUSTRIAL CO., LTD.

176 Industrial 9th Rd., Tali Dist.,
Taichung City, Taiwan 41280
Tel +886 4 2491 5576
Fax +886 4 2491 5580
www.apach-tools.com

DISTRIBUTOR



2018.09

